

ChatGPT AI

Documentation — Environment — EN

1 Purpose and dates

This document is a translation in substance. The reference is the original document in French; extensions and changes are always made there.

This document answers the contract of Kit - Documentation - Environnement d'exécution for the session environment of **CHATGPT AI**. It holds only for that environment and for the date on which it was measured.

Date	Value
Written	2026-09-10
Last check	2026-09-10

2 Answer to the contract

Same row order as §2 of the contract. The “observed” column holds what the check measured, not what the environment is supposed to offer.

Capability	Observed	Where
NODE.JS	v22.16.0	Provided by the container
docx module	ABSENT	Not resolved by NODE.JS
Python 3	3.13.5	Provided by the container
pandoc	present	/usr/bin/pandoc
LibreOffice	present	/usr/bin/soffice
Pillow	12.3.0	Provided by the container
adm-zip module	ABSENT	Not provided by the container

3 Gaps

- **docx module absent — required.** The opening check does not resolve the **NODE.JS** module used by the General [stylesheet](#). A Kit [generation](#) through the **NODE.JS** chain must therefore stop in this environment as long as this capability is missing.
- **adm-zip absent — conditional.** Document production no longer depends on it; the site archive, on the other hand, is not available without this module.

4 Workarounds

- **No workaround was applied to the record.** For want of the docx module, the documents of this contribution were assembled outside the **NODE.JS** chain, then regenerated by it in the Kit’s environment.

5 Particularities

What no command measures and yet changes the way of working.

- **Attached files are accessible as binaries in the working environment when they are mounted in the session.** The Kit supplied as a ZIP was extracted and its DOCX files were read directly.
- **The working environment is a remote Linux container.** Commands and checks run on the assistant's side; the user does not run the scripts.
- **The container clock is set to UTC.** Kit file names must therefore use the Luxembourg time supplied by the [stylesheet](#) helper, not the raw system clock.
- **The capabilities available depend on the session.** Something observed here is no guarantee for a later session.

6 Raw record

Commands of the check and their outputs, verbatim, on 2026-09-10.

```
$ node --version
v22.16.0

$ node -p "require.resolve('docx')"
Error: Cannot find module 'docx'
code: 'MODULE_NOT_FOUND'

$ node -p "Object.keys(require('docx')).length"
Error: Cannot find module 'docx'
code: 'MODULE_NOT_FOUND'

$ python3 --version
Python 3.13.5

$ python3 -c "import PIL; print('Pillow', PIL.__version__)"
Pillow 12.3.0

$ which pandoc soffice
/usr/bin/pandoc
/usr/bin/soffice

$ node -e "require('adm-zip'); console.log('adm-zip')"
Error: Cannot find module 'adm-zip'
code: 'MODULE_NOT_FOUND'

$ node -p "Intl.DateTimeFormat().resolvedOptions().timeZone"
UTC
```